

INDEX MAPS.

T. 29 N. R. 10 W. 2nd Mer.

6	5	4	3	2	1 ¹¹³
7	8	9	10	11	12 ¹¹⁵
18	17 <i>Illinois</i>	16	15	14	13 ¹¹²
19	20	21	22	23	24 ¹¹⁴
30	29	28	27	26	25 ¹¹¹
31	32	33	34	35	36 ¹¹¹

T. 30 N. R. 10 W. 2nd Mer.

6	5	4	3	2	1 ¹²⁰
7	8	9	10	11	12 ¹²⁰
18	17 <i>Illinois</i>	16	15	14	13 ¹²⁰
19	20	21	22	23	24 ¹²⁰
30	29	28	27	26	25 ¹¹⁹
31	32	33	34	35	36 ¹¹⁹

The figures on the lines refer to the page.

South Boundary

(Bear 5°50' E)

- West on South Side Sec. 36
 23.00 Leave wet prairie
 24.46 To Y. oak 18 in. dia.
 40.00 Set Dr. Sec. post from which
 to Y. oak 4 in. dia, bears N. 83 E. 24 Mo. dist.
 & to Y. oak 7 " " " N. 32 W. 56 " "
 65.00 Enter wet prairie
 76.90 To State line between Indiana & Illinois 29, 62 Mo,
 South of 112th mile post, where set post from which
 to Y. oak 24 in. dia, bears S. 11½ E. 296 Mo. dist.
 & to Y. oak 26 " " " N. 26 E. 657 " "
 Sand level & timber oak 2nd rate
 Surveyed February 4th 1834 by

Robert Clark Esq. Dep. Sur.

East Boundary

(Bear 5°40' E)

North on East Side Sec. 36

Began in wet prairie

- 40.00 Set Y. Sec. post from which
 to Y. oak 30 in. dia, bears N. 2¼ W. 9.33 Mo. dist.
 & to " Do 8 " " " N. 14 E. 9.54 " "
 80.00 Set post cor. to Sec. 25 & 36, no mound ground frozen
 Sand flat & 2nd rate, a few scattering trees

North on East Side Sec. 25

26.00 Leave wet prairie

- 110.00 Set Dr. Sec. post from which
 to Y. oak 8 in. dia, bears S. 26 W. 69 Mo. dist.
 & to " Do 16 " " " N. 55 W. 48 " "
 68.53 To Y. oak 12 " "
 80.00 Set post cor. to Sec. 24 & 25 from which
 to Y. oak 14 in. dia, bears S. 21 W. 103 Mo. dist.
 and to Howell W. oak 14 in. dia, bears N. 75 W. 33 " "

30th N. — R. 10 W. 2nd Mer, Indiana,

Sand St. of main polling 12th note Timber oak,

North on East Side Sec. 24

19.61 To & Y. oak 4 in. dia,

40.00 Set Dr. Sec. post from which

o Y. oak 10 in. dia bears S. 26 W. 60 lbs. dia,

o " Do 12 " " " N. 78 W. 40 " "

68.57 To o " Do 8 " "

80.00 Set post cor. to Sec. 13 & 24 from which

o B. oak 7 in. dia, bears S. 16 W. 162 lbs. dia,

o Y. oak 12 " " " N. 51 1/2 W. 335 " "

Sand St. much as before

North on East Side Sec. 13

13.00 To border of Marshy Lake, called by the Indians
Devil's Lake, no post nor bearings, did not at the
time think it necessary to meander the Lake
where this line runs,

110.00 q^d Sec. cor. in Lake

80.00 Cor. to Sec. 12 & 13 in Lake Sand South of
Lake as before

North on East Side Sec. 12

40.00 Dr. Sec. cor. in Lake

47.20 Set post on North Margin of Lake from which

o Y. oak 8 in. dia, bears N. 24 E. 32 lbs. dia,

o " Do 6 " " " Y. 78 W. 179 " "

47.50 To point of Timber from west

51.00 Leave do & enter marsh

80.00 Set post cor. to Sec. 14 & 12 from which

o Y. oak 30 in. dia, bears S. 66 W. 324 lbs. dia,

o Y. oak 30 " " " N. 87 1/2 W. 398 " "

North on East Side Sec. 1

40.00 Set Dr. Sec. post from which no mark
nor bearings / water deep,

G. 30 N. - R. 10 W. 2nd Mer. Indiana,

121

80.00 Temporary cor. to Towns 30 & 31 N. of R. 9 & 10 West
all wet prairie,
Surveyed February 3rd, 1834 by

Robert Clark Jr.,
Dep. Sur.

North Boundary

West on South Side Sec. 36 T. 31 N. R. 10 W. (Var. 5° 55' E)

23.50 Leave prairie

25.58 To a W. Oak 16 in dia.

40.00 Set Dr. Sec. post from which

a W. Oak 16 in. dia. bears N. 44 W. 266 lks. dist^t

& a " Do 12 " " " N. 1 1/2 W. 281 " "

84.83 To State line 39.48 lks. South of 118th mile post
where set post from which (T. 30 & 31 N. R. 10 W.)

a W. Oak 12 in. dia. bears N. 9 1/2 E. 33 lks. dist^t

& a " Do 6 " " " S. 64 E. 21 " "

Land rolling - Soil poor, Timber Oak,

Surveyed February 12th, 1834, by

Sylvester Sibley, Dep. Sur.

Subdivisions

6. Secs,

(Var. 5° 40' E)

West on true line between Secs 25 & 36

40.00 Set Dr. Sec. post in marsh no mound nor bearings

77.79 Antiseet State line between Indiana & Illinois

where set post in marsh cor. to Secs 25 & 36 no
mound no bearings, land level & marshy soil
3rd rate, growth prairie grass,

West on true line between Secs 24 & 25

4.56 To a Blk Oak 12 in. dia,

18.59 " a Red Oak 24 " "

35.89 " a Blk Oak 24 " "

40.00 Set g^r. Sec. post from which

C. 30 N. — R. 10 W. 2nd Mer. Indiana,

64.94 To each oak 5 in. dia. bears S. 45 W. 57 1/2 m. dist.
 & a B. oak 26 " " " N. 56 E. 109 " "
 70.00 Enter prairie
 79.22 Intersect State line between Indiana & Illinois
 where set post in marsh cor. to Sec. 24 & 25 no
 mound nor bearings, sand rolling soil 3rd rate
 W. R. & Blk oak & Blk gum undergrowth same
 July 22nd 1835

West on true line between Sec. 13 & 24
 19.41 To a W. oak 26 in. dia.
 21.40 " a Blk oak 12 " "
 22.66 " a " Do 20 " "
 24.00 Enter wet prairie
 210.00 Set Dr. Sec. post in marsh no mound nor bearings
 81.17 Intersect State line between Indiana & Illinois where
 set post cor. to Sec. 13 & 24 from which
 a B. oak 26 in. dia. bears S. 20 E. 128 1/2 m. dist.
 & a " Do 22 " " " N. 49 W. 61 " "
 Sand level 3rd rate Blk & W. oak & grass,

West on true line between Sec. 12 & 13 from W. Side of Lake
 23.25 Set 9th Sec. post in marsh no mound nor bearings
 64.25 Intersect State line between Indiana & Illinois where
 set post in marsh cor. to Sec. 12 & 13 no mound
 nor bearings, sand level & marshy 3rd rate
 flag Bullrushes & grass,

West on true line between Sec. 1 & 12
 30.50 Leave wet prairie & Enter timber
 31.12 To a Blk oak 36 in. dia.
 41.00 Set 9th Sec. post from which
 a Blk oak 12 in. dia. bears S. 36 E. 117 1/2 m. dist.
 No other trees near,
 57.50 Enter wet prairie

83.28 Enters et State line between Indiana & Illinois
 where set post cor. to Sec. 1 & 12 from which
 @ Blk. oak 18 in. dia. bears N. 48 E. 570 lks. dist.
 No other tree near, land level, 3rd rate prairie
 marshy timber oak,

c Measures of Beaver Lake from post on line between
 Ranges 9 & 10. East Side of Sec. 13

Course	Dist	
N. 53 W.	22.23	In Sec. 13
North	53.46	To post on line between Sec. 12 & 13
N. 9 1/2 E.	35.63	In Sec. 12
N. 44 E.	17.18	To post on Range line

This Township contains no good land & very little
 good timber, no springs no stone quarries have
 been discovered & it is considered as being of very
 little value,

I hereby certify that in pursuance of a Contract
 with Mr. T. Williams Surveyor General of the United
 States for the State of Ohio & Indiana & the Terri-
 tory of Michigan bearing date the 26th day of
 September 1834 & in strict conformity with the
 Laws of the United States & the Instructions of
 the Said Surveyor General I have surveyed &
 subdivided into Sections fractional Township
 No 30 North of Range No. 10 West of the 2nd
 principal Meridian in the State of Indiana
 & do further certify that the foregoing are the true
 & original field notes of the Said Survey & Subdivi-
 sion Executed as aforesaid Certified this 27th day
 July, 1835,

Samuel Goodman, Dep. Sur,
 Robert P. Wilson }
 George Hoover } chainman

T. 30 N. — R. 10 W. 2nd Mer. Indiana,

I Certify that the foregoing transcript of field notes of Township 30 North of Range 10 West 2nd Meridian State of Indiana, has been compared with the original in this office and found to be correct.

William Johnston
Sur. Genl.

Surveyor General's Office
Cincinnati, Dec^r 30th 1842